

DOOR SCHEDULE

DOOR NO.	LOCATION	SIZE (w. x h. x t.)	DOOR			FRAME			HINGES	CLOSER	LOCK	PRIVACY SET	PUSH / PULL	FLOOR STOP	SIGNAGE	FIRE RATING	REMARKS
			TYPE	MATERIAL	FINISH	TYPE	MATERIAL	FINISH									
D001	CAFETERIA	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	7	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	-	YES	-	-	
D002	ELEV. MACHINE RM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	YES	45 MIN FIRE RATING;
D003	ROOM-2	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	SCW	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	-	
D004	STAIR-3	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	YES	YES	45 MIN FIRE RATING;
D005	CAFETERIA TO KITCHEN	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	SCW	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	-	
D006	CAFETERIA TO KITCHEN	2 x 0.96X2.13X0.04 2 x 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	SCW	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	-	DOORS DIVIDED HORIZONTALLY FOR SERVICE
D007	STAIR-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	
D008	STAIR-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	
D009	STAIR-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	8	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	-	YES	45 MIN FIRE RATING;
D010	COAT	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	-	
D011	UNIV. W/C	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	-	AUTO OPERATOR;
D012	STAIR-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	YES	YES	45 MIN FIRE RATING;
D013	MECHANICAL ROOM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	YES	45 MIN FIRE RATING;
D014	MECHANICAL ROOM TO UTILITY ROOM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	YES	45 MIN FIRE RATING;
D015	MECHANICAL ROOM TO UTILITY ROOM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	SCW	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	YES	
D101	ENTRY	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	2	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	
D102	STAIR-3	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	YES	YES	45 MIN FIRE RATING;
D103	SUNROOM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	
D104	SUNROOM TO PRAYER HALL	2+2- 0.91X2.43X0.04 2+2- 3'-0 1/8" x 8'-0" x 1 1/8"	6	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	
D105	SUNROOM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	S.C.W	PAINT	A	VINYL	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	
D106	STAIR-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	YES	YES	45 MIN FIRE RATING;
D107	STAIR-1 ENTRY	1.82X2.13X0.04 6'-0" x 4'-1 1/2" x 1 1/8"	7	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	AUTOMATIC OPERATOR SLIDING DOOR BY MANUFACTURER SPECIFICATIONS;
D108	ROOM & STORAGE AREA	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	
D109	BOARD ROOM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	YES	YES	YES	YES	-	
D110	BARRIER FREE WASHROOM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	
D111	UNIVERSAL WASHROOM-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	AUTOMATIC OPERATOR, DOOR TO BE INSTALLED BY MANUFACTURER SPECIFICATIONS;
D112	LIBRARY	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	
D113	ENTRANCE WAITING	0.91X2.43X0.04 3'-2 7/8" x 8'-0" x 1 1/8"	9	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	YES	-	AUTOMATIC OPERATOR, DOOR TO BE INSTALLED BY MANUFACTURER SPECIFICATIONS;
D114	ELEVATOR LOBBY	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	2	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	AUTOMATIC OPERATOR, DOOR TO BE INSTALLED BY MANUFACTURER SPECIFICATIONS;
D115	STAIR-2 TO ELEVATOR	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	YES	YES	45 MIN FIRE RATING WITH CLOSURE;
D116	STAIR-2	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	YES	YES	45 MIN FIRE RATING WITH CLOSURE;
D117	STAIR-2 TO EXIT	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	2	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	45 MIN FIRE RATING WITH CLOSURE;
D118	PUJA STORAGE TO EXIT	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	2	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	
D119	PUJA STORAGE	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	2	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	
D120	PRAYER HALL TO ENTRANCE	2+2- 0.91X2.43X0.04 2+2- 3'-0 1/8" x 8'-0" x 1 1/8"	6	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	YES	-	
D121	PRAYER HALL TO PREPARATION-2	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	S.C.W	PAINT	A	S.C.W	PAINT	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	
D122	PREPARATION ROOM-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	
D123	EXIT DOOR	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	10	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	AUTOMATIC OPERATOR, DOOR TO BE INSTALLED BY MANUFACTURER SPECIFICATIONS;
D124	AV ROOM	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	-	YES	-	-	
D125	ENTRANCE WAITING	2+2- 0.91X2.43X0.04 2+2- 3'-2 7/8" x 8'-0" x 1 1/8"	4	ALUMINUM	ANNOZIDED	A	ALUMINUM	ANNOZIDED	1 1/2" PAIR	YES	YES	-	YES	YES	YES	-	
D203	STAIR-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	H.M.	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	YES	YES	45 MIN FIRE RATING;
D204	STUDY AREA-3	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	-	-	
D205	STUDY AREA-2	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	-	YES	YES	YES	-	
D206	STUDY AREA-1	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	3	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	
D207	PRIEST STUDY	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	
D208	BATH	0.96X2.13X0.04 3'-2 7/8" x 4'-1 1/2" x 1 1/8"	1	S.C.W	PAINT	A	H.M.	PAINT	1 1/2" PAIR	YES	YES	YES	-	YES	-	-	

ROOM FINISH SCHEDULE

NO.	ROOM NAME	FLOOR		WALLS		CEILING			REMARKS
		MATERIAL	BASE	MATERIAL	FINISH	MATERIAL	FINISH	HEIGHT	
001	CAFETERIA	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
002	ROOM-2	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
003	ROOM-1	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
004	STAIR-3	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
005	KITCHEN & STORAGE	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
006	STORAGE ROOM	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
007	STAIR-1	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
008	COAT	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
009	CORRIDOR	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
010	MEN'S WASHROOM	CERAMIC TILE	CERAMIC TILE	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
011	WOMEN'S WASHROOM	CERAMIC TILE	CERAMIC TILE	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
012	STAIR-1	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
013	MECHANICAL ROOM	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
101	STAIR-3	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
102	SUNROOM	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
103	LIBRARY	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
104	BOARD ROOM	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
105	STAIR-1	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
106	ROOM & STORAGE AREA	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
107	UNIVERSAL WASHROOM-2	CERAMIC TILE	CERAMIC TILE	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
108	UNIVERSAL WASHROOM-1	CERAMIC TILE	CERAMIC TILE	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
109	ENTRANCE WAITING	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
110	STAIR-2	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
111	PUJA STORAGE	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
112	PRAYER HALL	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
113	PREPARATION-2	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
114	PREPARATION-1	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
201	ROOM	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
202	STAIR-3	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
203	STAIR-1	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
204	STUDY AREA-2	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT	3.04M	SEE NOTE;
205	STUDY AREA-1	PORCELAIN	PORCELAIN	DRYWALL	PAINT	DRYWALL	PAINT		